
SIZING & PACKAGING

Туре	Shape		Item Code	Size	Description	Pcs / Ctn	Sf / Ctn
Field			DOLMAGORO4848-8H	48"x48"	Calacatta Oro 8mm Field Tile - Honed	2	31.21
		Ø	DOLMAGORO4848-8P	48"x48"	Calacatta Oro 8mm Field Tile - Polished	2	31.21
			100002286	48"x48"	Calacatta Super White 8mm Field Tile - Honed	2	31.21
		Ø	100002287	48"x48"	Calacatta Super White 8mm Field Tile - Polished	2	31.21
			100001205	48"x48"	Cyrstal Onyx 8mm Field Tile - Honed	2	31.21
		Ø	100001206	48"x48"	Cyrstal Onyx 8mm Field Tile - Polished	2	31.21
			100001207	48"x48"	Luxe White 8mm Field Tile - Honed	2	31.21
		Ø	100001208	48"x48"	Luxe White 8mm Field Tile - Polished	2	31.21
			100001511	48"x48"	Offroad Mojave 8mm Field Tile - Honed	2	31.21
			DOLMAGPUW4848-8H	48"x48"	Pure White 8mm Field Tile - Honed	2	31.21
		Ø	DOLMAGPUW4848-8P	48"x48"	Pure White 8mm Field Tile - Polished	2	31.21
			100001215	48"x48"	Shell Beach 8mm Field Tile - Honed	2	31.21
		Ø	100001216	48"x48"	Shell Beach 8mm Field Tile - Polished	2	31.21
			100001217	48"x48"	Wave Ice 8mm Field Tile - Honed	2	31.21
		Ø	100001218	48"x48"	Wave Ice 8mm Field Tile - Polished	2	31.21

ANSITECHNICAL SPECIFICATIONS

	DCOF Acutest	PEI Rating ASTM# C1027	Frost Resistant ASTM# C1026	Scratch Resistance MOHS	Breaking Strength ASTM# C648	Water Absorption ASTM# C373	Chemical Resistance ASTM# C650
Results	≥ 0.42 (Honed Only)	Pass≤175 (ISO)	Unaffected	7	≥250 lbf	≤0.5%	Unaffected



Shade Variation

APPLICATIONS

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential	•	•	•	Honed	•	Honed
Commercial	Honed	•	•	Honed	•	Honed

____ Minimum 3/16" Grout Joint Overlap should not exceed 33%

LEGEND

- Product rated for Interior & Exterior use
- Product rated for Interior use only
- † May be suitable for Exterior Floors







Made in USA











Bedrosians® offers to its immediate and direct customer a nontransferable 10 Year Limited Warranty on all Magnifica® Encore 12mm and 2cm 60" x 126" or 60" x 127" porcelain panels sold on or after April 1, 2018. No registration is required, however, customer must provide proof of purchase via an original invoice. Please reference the Magnifica® Limited Warranty online for detailed information.

For warranty to apply, the Magnifica® Encore installer must complete an ANSI A108.19 specified qualification program prior to fabricating and installing the panels and the panels must be installed in accordance with TCNA guidelines, ANSI 108.19, and all of the manufacturer's written instructions.

For installation of all polished, satin, or honed porcelain, use a grout release prior to grouting to prevent absorption of the grout into the tile's micropores. We recommend use of a grout color that matches the predominant color of the tile. Tiles with a polished finish are not appropriate for wet orexteriorfloor applications. Do not use acidic cleaners.

Merchandising materials and samples are for general reference only and representative of a product's potential characteristics. Tile is subject to variation in color/shade, size, texture, and finish. Field, mosaic and trim tile may not match exactly. Blend tiles from different boxes to achieve consistent shade distribution. Installer and end user must conduct a dry mock layout under proper lighting conditions to inspect the product. Installation constitutes product acceptance. Improper installation, application, use, care and maintenance voids warranty. Reference the TCNA Handbook and ANSI for installation guidance. Please visit bedrosians.com for current product information. We reserve the right to make product changes at any time without notice.



MAGNIFICA

NINETEEN FORTY-EIGHT


by Bedrosians® Tile & Stone



MAGNIFICA°




CALACATTA ORO
DOLMAGORO4848-8H - 48"x48"8mm Honed
DOLMAGORO4848-8P - 48"x48"8mm Polished



CALACATTA SUPER WHITE 100002286 - 48"x48" 8mm Honed 100002287 - 48"x48" 8mm Polished



LUXE WHITE100001207 - 48"x48" 8mm Honed
100001208 - 48"x48" 8mm Polished




WAVE ICE100001217 - 48"x48" 8mm Honed
100001218 - 48"x48" 8mm Polished



CRYSTAL ONYX


100001205 - 48"x48" 8mm Honed
100001206 - 48"x48" 8mm Polished




PURE WHITE THRU-COLOR

DOLMAGPUW4848-8H - 48"x48" 8mm Honed

DOLMAGPUW4848-8P - 48"x48" 8mm Polished



OFFROAD MOJAVE 100001511 - 48"x48" 8mm Honed



SHELL BEACH 100001215 - 48"x48" 8mm Honed 100001216 - 48"x48" 8mm Polished

