


5"x5" Porcelain Cross Field Tile - Matte and 6 1/2"x6 1/2" Porcelain Star Field Tile - Matte (40 Faces per Color)



Almond
100011420 - Cross
100011427 - Star



Evergreen
100011426 - Cross
100011433 - Star



Fawn
100011421 - Cross
100011428 - Star



Sage
100011422 - Cross
100011429 - Star



Clay
100011423 - Cross
100011430 - Star



Brown
100011424 - Cross
100011431 - Star



Ebony
100011425 - Cross
100011432 - Star



Photo Features 5"x5" Non-Rectified Porcelain Cross Field Tile - Matte in Brown and 6 1/2"x6 1/2" Non-Rectified Porcelain Star Field Tile - Matte in Ebony.

2"x8" Porcelain Field Tile - Matte (60 Faces per Color)



Almond
100011390



Evergreen
100011396



Fawn
100011391




Sage
100011392



Clay
100011393



Brown
100011394



Ebony
100011395

4"x4" Porcelain Field Tile - Matte (60 Faces per Color)



Almond
100011397



Evergreen
100011403



Fawn
100011398



Sage
100011399



Clay
100011400



Brown
100011401



Ebony
100011402

2"x8" Porcelain Deco Pattern Field Tile - Matte (60 Faces per Color)



Almond
100011404



Evergreen
100011410



Fawn
100011405



Sage
100011406



Clay
100011407



Brown
100011408



Ebony
100011409

4"x4" Porcelain Deco Pattern Field Tile - Matte (60 Faces per Color)



Almond
100011412



Evergreen
100011419



Fawn
100011413



Sage
100011415



Clay
100011416



Brown
100011417



Ebony
100011418



Hikari

Decorative (Glazed Porcelain - Field Tile/Ceramic - Jolly)

Photo Features 4"x4" Non-Rectified Porcelain
Deco Pattern Field Tile - Matte in Almond and Ebony.


SIZING & PACKAGING

Type	Shape	Almond Item Code	Brown Item Code	Clay Item Code	Ebony Item Code	Evergreen Item Code	Fawn Item Code	Sage Item Code	Size	Description	Pcs / Ctn	Sf / Ctn
Field		100011390	100011394	100011393	100011395	100011396	100011391	100011392	2"x8"	Porcelain Field Tile - Matte	38	4.56
		100011397	100011401	100011400	100011402	100011403	100011398	100011399	4"x4"	Porcelain Field Tile - Matte	60	5.26
		100011420	100011424	100011423	100011425	100011426	100011421	100011422	5"x5"	Porcelain Cross Field Tile - Matte	34	5.31
		100011427	100011431	100011430	100011432	100011433	100011428	100011429	6 1/2"x6 1/2"	Porcelain Star Field Tile - Matte	34	5.31
Deco		100011404	100011408	100011407	100011409	100011410	100011405	100011406	2"x8"	Porcelain Deco Pattern Field Tile - Matte	38	4.56
		100011412	100011417	100011416	100011418	100011419	100011413	100011415	4"x4"	Porcelain Deco Pattern Field Tile - Matte	60	5.26
Trim		100011441	100011447	100011446	100011448	100011449	100011444	100011445	1/2"x8"	Ceramic Jolly - Matte	66	-

ANSI TECHNICAL SPECIFICATIONS

	DCOF Acutest	PEI Rating ASTM# C1027	Frost Resistant ASTM# C1026	Scratch Resistance MOHS	Breaking Strength ASTM# C648	Water Absorption ASTM# C373	Chemical Resistance ASTM# C650
Results	≥ 0.42	N/A	Unaffected	7	Pass (1,300 ISO)	N/A	Unaffected

Shade Variation



Made in Spain



Glazed Porcelain
(Field Tile & Deco)



Glazed Ceramic
(Jolly Trim)



Non-Rectified

APPLICATIONS - NON-DECO

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential	●	◻	◻	●	◻	◻
Commercial	●	◻	◻	●	◻	◻

APPLICATIONS - DECO

	Floors	Walls	Countertops	Shower Floors	Shower Walls	Pools/Spas
Residential		◻			◻	◻
Commercial		◻			◻	◻

LEGEND

- ◻ Product rated for Interior & Exterior use
- Product rated for Interior use only
- † May be suitable for Exterior Floors
- ⊘ Applications & ANSI Technical Specifications do not apply
- * Special Order only

This product is artisanal and may possess inherent size and color variation.

IMPORTANT: Installation Instructions - We recommend wet cutting or the score and snap method during the installation process. Improper installation techniques could expose installer to inhalation of harmful silica dust. Do not dry cut product using power tools during the installation process. Using dry cutting methods could present a risk of acute lung injury. If adequate ventilation cannot be achieved, wear a mask or respirator. For more information, see the SDS at www.bedrosians.com/en/installation-care-maintenance/.

For installation of all polished, polished glazed, lappato, and honed porcelain/ceramic tiles, use a grout release prior to grouting to prevent absorption of the grout into the tile's micropores. Use a grout color that matches the predominant color of the tile. Refer to grout manufacturer's specifications to ensure use of proper grout. Refer to tile manufacturer's specifications to determine if the polished or honed tile is appropriate for commercial applications. Tiles with a polished finish are not appropriate for wet or exterior floor applications. Do not use acidic cleaners.

Merchandising materials and samples are for general reference only and representative of a product's potential characteristics. Tile is subject to variation in color/shade, size, texture, and finish. Field, mosaic and trim tile may not match exactly. Blend tiles from different boxes to achieve consistent shade distribution. Installer and end user must conduct a dry mock layout under proper lighting conditions to inspect the product. Installation constitutes acceptance of the product. Reference the TCNA, ANSI, Manufacturer's specifications, and Bedrosians Care & Maintenance Guide. Improper installation, application, use, care and maintenance voids warranty. We reserve the right to make product changes without notice. Please visit bedrosians.com for current product information.

100011846
REV. 10/2026

bedrosians.com

